

Product information

18V COMBI DRILL LXT



Satisfying the professional's needs

DHP453RFE

| | |
|----------------------------|------------------------------|
| Voltage | 18 v |
| Max. in wood | 36 mm |
| Max. in masonry | 13 mm |
| Max. in steel | 13 mm |
| Blows per minute | H: 0-19500/ L: 0-6000 bpm |
| Max Torque S/H | 42 Nm |
| Torque Settings | 16 + drill |
| No Load Speed | H: 0 - 1300 / L: 0 - 400 rpm |
| Battery Type | Lithium-ion |
| Battery Quantity (3.0 Ah) | 2 |
| Vibration: Drilling | 2.5 m/sec ² |
| Vibration: Hammer Drilling | 7.5 m/sec ² |
| Vibration K factor | 1.5 m/sec ² |



STANDARD EQUIPMENT: 194204-5 18V Li-ion battery, P-48701 DOUBLE ENDED BITS 45 - 150MM

- 22 minute charge time with the air cooled Makstar Optimum Charging System.
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time.
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery.
- Conveniently located push button for forward and reverse.
- High comfort grips.
- Two speed gear box.
- Metal gears

Details correct as of: 7-5-2015

Makita reserve the right to change specifications at any time owing to their policy of constant improvement.

Accessories shown are not necessarily supplied.

www.makita.com