1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance/preparation

C6128A

Use of the preparation Inkjet printing

Revision Date 26-Jun-2008

CAS # Mixture

Company identification Hewlett-Packard, Ltd.

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN

Emergency telephone number

Poison Information Center 0207771 5307

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 **(Direct)** 1-503-494-7199

General information telephone number

1 344 36-0000 1-800-474-6836

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email hpcustomerinquiries@hp.com

2. HAZARDS IDENTIFICATION

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Material name C6128A SDS UK
Creation date 30-Apr-2003 Version number 4 1 / 6



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

Other information This product is not classified according to EU Directive 1999/45/EC.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	EU number	EU classification
Water Tetraethylene glycol	7732-18-5 112-60-7	> 80 < 5	231-791-2 203-989-9	R36/37/38
2-pyrrolidone	616-45-5	< 5	210-483-1	R36/38
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xi, Xn, N, R21/22, 38, 41, 51, 51/53

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point and method > 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety

reasons

None known.

Unusual fire & explosion

hazards

None known.

Hazardous combustion

products

Refer to section 10.

Specific methods None established.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits

Germany

Components	CAS #	TWA	MAK	Ceiling
Tetraethylene glycol	112-60-7	1000 mg/m3	Not established	Not established

Netherlands

Components	CAS #	TWA (MAC)	STEL	Ceiling
Tetraethylene glycol	112-60-7	1000 mg/m3	Not established	Not established

Switzerland

Components	CAS #	TWA	STEL
Tetraethylene glycol	112-60-7	1000 mg/m3	Not established

Additional exposure data Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Not available **Appearance**

Physical state Liquid.

Form Not available

Colour Red

Odour Not available Not available **Odour threshold** 7.7 - 8.5Hα

Boiling point Not determined

Flash point > 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Flammability Not available. Flammability limits in air, Not available

upper, % by volume

SDS UK Material name C6128A Creation date 30-Apr-2003 Version number 4

3 / 6



Flammability limits in air,

lower, % by volume

Not determined

Vapour pressureNot determinedRelative densityNot availableSolubility in waterSoluble in waterPartition coefficientNot available

(n-octanol/water)

Viscosity > 2 cp

Vapour density > 1 (Air = 1.0)

Evaporation rate Not determined

Melting point Not available

Freezing point Not available

Auto-ignition temperature Not available

Specific gravity 1 - 1.2

VOC < 3 %

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Materials to avoid Not available

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Hazardous polymerisation

Will not occur.

11. TOXICOLOGICAL INFORMATION

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Water 7732-18-5 Oral LD50 Rat: >90 mL/kg

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

Waste from residues /

unused products

Not available

Contaminated packaging Not available

14. TRANSPORT INFORMATION

ADR

Not regulated as hazardous goods.

IMDG

Not regulated as hazardous goods.

Material name C6128A SDS UK
Creation date 30-Apr-2003 Version number 4 4 / 6

IATA

Proper shipping name not applicable **Hazard class** not applicable

UN number None. **Packing group** N/A **Packaging exceptions** None.

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Labelling

Contains 2-pyrrolidone, Alkyldiol ethoxylate, Tetraethylene glycol, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

16. OTHER INFORMATION

Manufacturer information **Hewlett-Packard Company**

> 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

List of relevant R phrases R21/22 Harmful in contact with skin and if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes. R51 Toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by

2001/58/EC.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Issue date 26-Jun-2008

Revised sections 3. Hazards identification: Other information

SDS UK Material name C6128A Creation date 30-Apr-2003

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible exposure limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

SDS UK Material name C6128A Creation date 30-Apr-2003 6/6