

LabelWorks LW-Z700FK



Sturdy and practical industrial label maker designed to boost productivity at a highly competitive price

Destined to become a valuable tool for installers of mechanical, electrical and network IT equipment is this sturdy, practical and cost-effective industrial label maker. Featuring hot keys, a mixed label length function and other hands-free features, label-making on the LW-Z700FK is all about boosting productivity with the latest features, but at a competitive price.

Durable design

Aimed at tough environments, the LW-Z700FK has a hard carry case for valuable protection, while a large carry handle makes it mobile.

Hands-free use

Hot keys cut-down on typing while repetitive jobs are streamlined thanks to its innovative Pick & Print feature, which automatically prints the next label in a pre-set series when it detects that the user has selected the previous label.

Easy to use

With tape detection, an automatic cutter and Drop Stop function, labelling cables, wiring, small pipes and other electrics or machinery has never been easier.

Plenty of choice

The LW-Z700FK offers six different widths from 4-24mm, and 100 label designs. Tapes are suited to all kinds of environments, with the addition of both magnetic and heat-shrink tape to a roster that already includes heat-resistant, glow in the dark, reflective and iron-on labels, among others.

Professional results

As well as fast-printing in 180dpi quality, the bundled Epson Label Editor software makes it quick and simple to transfer a image of a company logo to the LW-Z700FK for using on cable labels, adding a professional touch.

Economic to run

With smaller margins and tapes up to 9m long, the LW-Z700FK achieves an impressively low total cost of ownership.

DATASHEET



KEY FEATURES

- **Pick & Print**
Streamline repetitive tasks
- **Fast 180dpi print**
Professional-looking results
- **Practical design**
Hard case, carry handle and magnet for easy mounting
- **Print logos and images**
Data download function with easy-to-use software
- **Plenty of choice**
50 lengths, six widths & 100 label designs

PRODUCT SPECIFICATIONS

| PRINTING | | |
|---------------------------|---------------------------------------|--------------------------------|
| | Embedded (standalone) | Label Editor (computer linked) |
| Printing technology | Thermal transfer | |
| Tape width | 4 mm, 6 mm, 9 mm, 12 mm, 18 mm, 24 mm | |
| Printing resolution | 180 dpi | |
| Printable Dot Numbers | 128 dot numbers | |
| Print speed | 30 mm/sec | |
| Number of printable lines | 8 Lines | custom |
| Maximum text length | 180 characters per line | - |
| Multi-block | 50 | custom |
| Drop Stop | Yes | |
| Pick & Print | Yes | |

| PRINT SETTINGS | | |
|----------------------|---|---|
| | Embedded (standalone) | Label Editor (computer linked) |
| Special formats | General, Punch Block, Patch Panel, Block-66, Wrap, Flag, Face Plate, Mix-Length | |
| Repeat printing | 2 - 99 | 1 - 999 |
| Auto increment | 0-9, a-z, A-Z, Up to 4 digits | Yes, 0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time |
| Enlargement printing | Yes x 4 | Yes x 4 |
| Mirror printing | Yes | Yes |
| Vertical printing | Yes | Yes |
| Barcodes | Code 128, Code 39, EAN-13, ITF, UPC-A, UPC-E | Coda bar (NW-7), Code 128, Code 39, Data Matrix, EAN-128, EAN-13, EAN-8, GS1-128, GS1-DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E |
| Wire wrap | Yes | Yes |
| Flag | Yes | Yes |
| Margin setting | 1mm, 4mm, 10mm, width/3, width | 1mm, Manual, Auto |

| FONTS & STYLES | | |
|-------------------|--|--|
| | Embedded (standalone) | Label Editor (computer linked) |
| Fonts | Roman, Sans serif | Depending on user's PC |
| Frames | 95 Frames | 86 Frames |
| Tables | 3 Tables | 8 Tables |
| Layout Alignment | Left, Right, Center, Justified | Left, Right, Center, Manual, Justified |
| Character spacing | Narrow, Wide, Normal | - |
| Character width | Narrow, Normal, Custom, Smaller, Small, Wide | custom |

| MEMORY | | |
|---------------------|-----------------------|--|
| | Embedded (standalone) | Label Editor (computer linked) |
| Memory alphanumeric | - | Depending on user's PC |
| Memory accent | - | Depending on user's PC |
| Accent learning | Yes | - |
| Symbols | 530 | 1.427 |
| Saved Label Design | 100 | Depending on user's PC / 372 templates available |
| Last label | Yes | View history, Browse |

| HARDWARE | | |
|------------|---|--------------------------------|
| | Embedded (standalone) | Label Editor (computer linked) |
| Cutter | Auto, Half | |
| Detection | Cover open, Tape end, Tape type & colours, Tape width | |
| Handle | Yes | |
| Power lamp | Yes | |

| KEYBOARD | | |
|----------------|-----------------------|--------------------------------|
| | Embedded (standalone) | Label Editor (computer linked) |
| Keyboard type | QWERTZ | |
| Number of keys | 66 | |

| DISPLAY | | |
|--------------------|--|--------------------------------|
| | Embedded (standalone) | Label Editor (computer linked) |
| Display Resolution | 140 x 8 dots | |
| Display backlight | Yes (with control) | |
| Display preview | Yes Graphic | |
| Display language | Danish, Dutch, English, Finnish, French, German, Italian, Portuguese | |

| OTHER FUNCTIONS | | |
|-----------------|-----------------------|--------------------------------|
| | Embedded (standalone) | Label Editor (computer linked) |
| Auto power off | Yes | Yes |
| Unit switch | mm/inch | mm/inch |

LabelWorks LW-Z700FK

WHAT'S IN THE BOX

- 1 x 4m Tape
- AC adapter
- AC cable
- Battery (OT-BY20)
- Carrying Case
- Magnetic attachment
- Main unit
- USB cable

PRODUCT SPECIFICATIONS

LabelWorks LW-Z700FK

GENERAL

| | Embedded (standalone) | Label Editor (computer linked) |
|-----------------------|--|--------------------------------|
| Energy Star | Yes | |
| Battery | Li-ion | |
| Low battery indicator | Yes | |
| Product dimensions | 136 x 298 x 90 mm (Width x Depth x Height) | |
| Product weight | 1.100 g, without tape & batteries | |
| Colour | Black, Red | |

CONNECTIVITY

| | Embedded (standalone) | Label Editor (computer linked) |
|------------------------------|---|--------------------------------|
| Interfaces | USB 1.1 Type A, USB 1.1 Type B | |
| Compatible Operating Systems | As for printer, Citrix XenApp 5.0, Windows 10, Windows 7, Windows 8 | |
| System requirements | Approx. 100 MB HDD space | |
| PC Display requirements | XGA (1024 x 768) or higher | |
| Included Software | Epson Label Editor | |

SUPPORTED CONSUMABLES

LabelWorks LW-Z700FK

| Tape Width | Tape Series | Tape & Text (Ink Ribbon) Colour | Customer Code |
|------------|-----------------------------|---------------------------------|---------------|
| 4 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4WBA3 |
| 4 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4YBA3 |
| 4 mm | Standard | Abc 123 | LK-1WBN |
| 4 mm | Pastel color | Abc 123 | LK-1YBP |
| 6 mm | Pastel color | Abc 123 | LK-2RBP |
| 6 mm | Transparent | Abc 123 | LK-2TBN |
| 6 mm | Pastel color | Abc 123 | LK-2YBP |
| 6 mm | Standard | Abc 123 | LK-2WBN |
| 9 mm | Strong adhesive | Abc 123 | LK-3WBW |
| 9 mm | Strong adhesive | Abc 123 | LK-3TBW |
| 9 mm | Pastel color | Abc 123 | LK-3RBP |
| 9 mm | Pastel color | Abc 123 | LK-3YBP |
| 9 mm | Standard | Abc 123 | LK-3WBN |
| 9 mm | Transparent | Abc 123 | LK-3TBN |
| 9 mm | Standard | Abc 123 | LK-3WRN |
| 9 mm | Strong adhesive | Abc 123 | LK-3YBW |
| 12 mm | Heat Resistant | Abc 123 | LK-4WBH |
| 12 mm | Satin Ribbon Tape | Abc 123 | LK-4LBK |
| 12 mm | Transparent | Abc 123 | LK-4TWN |
| 12 mm | Satin Ribbon Tape | Abc 123 | LK-4RKK |
| 12 mm | Transparent | Abc 123 | LK-4TBN |
| 12 mm | Fluorescent | Abc 123 | LK-4YBF |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4WBA5 |
| 12 mm | Strong adhesive | Abc 123 | LK-4YBW |
| 12 mm | Iron-on | Abc 123 | LK-4WBQ |
| 12 mm | Metallic color | Abc 123 | LK-4KBM |
| 12 mm | Strong adhesive | Abc 123 | LK-4TBW |
| 12 mm | Pastel color | Abc 123 | LK-4RBP |
| 12 mm | Satin Ribbon Tape | Abc 123 | LK-4PBK |
| 12 mm | Matte | Abc 123 | LK-4SBE |
| 12 mm | Matte paper | Abc 123 | LK-4WBB |
| 12 mm | Metallic color | Abc 123 | LK-4SBM |
| 12 mm | Standard | Abc 123 | LK-4WBN |
| 12 mm | Vivid | Abc 123 | LK-4BWV |
| 12 mm | Strong adhesive | Abc 123 | LK-4WBW |
| 12 mm | Fluorescent | Abc 123 | LK-4GBF |
| 12 mm | Standard | Abc 123 | LK-4WRN |
| 12 mm | Satin Ribbon Tape | Abc 123 | LK-4HKK |
| 12 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-4YBA5 |
| 12 mm | Satin Ribbon Tape | Abc 123 | LK-4KBK |
| 12 mm | Pastel color | Abc 123 | LK-4YBP |
| 12 mm | Standard | Abc 123 | LK-4WLN |
| 18 mm | Glow-in-the-Dark | Abc 123 | LK-5ZBU |
| 18 mm | Fluorescent | Abc 123 | LK-5GBF |
| 18 mm | Standard | Abc 123 | LK-5WRN |
| 18 mm | Pastel color | Abc 123 | LK-5RBP |
| 18 mm | Standard | Abc 123 | LK-5WBN |
| 18 mm | Matte | Abc 123 | LK-5SBE |
| 18 mm | Pastel color | Abc 123 | LK-5YBP |
| 18 mm | Reflective | Abc 123 | LK-5SBR |
| 18 mm | Magnetic Label Tape | Abc 123 | LK-5WB2 |
| 18 mm | Transparent | Abc 123 | LK-5TBN |
| 18 mm | Strong adhesive | Abc 123 | LK-5WBW |
| 18 mm | Strong adhesive | Abc 123 | LK-5TBW |
| 18 mm | Fluorescent | Abc 123 | LK-5YBF |
| 18 mm | Transparent | Abc 123 | LK-5TWN |
| 18 mm | Vivid | Abc 123 | LK-5BWV |
| 18 mm | Strong adhesive | Abc 123 | LK-5YBW |
| 18 mm | Magnetic Label Tape | Abc 123 | LK-5YB2 |
| 24 mm | Standard | Abc 123 | LK-6WBN |
| 24 mm | Matte | Abc 123 | LK-6SBE |
| 24 mm | Transparent | Abc 123 | LK-6TBN |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6YBA14 |
| 24 mm | Magnetic Label Tape | Abc 123 | LK-6WB2 |
| 24 mm | Pastel color | Abc 123 | LK-6RBP |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6WBA11 |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6YBA11 |
| 24 mm | Heat Shrink Tube (HST) Tape | Abc 123 | LK-6WBA14 |
| 24 mm | Pastel color | Abc 123 | LK-6YBP |
| 24 mm | Cable wrap | Abc 123 | LK-6WBC |
| 24 mm | Magnetic Label Tape | Abc 123 | LK-6YB2 |

LOGISTICS INFORMATION

| | |
|-------------------------|---------------|
| SKU | C51CF25120 |
| EAN code | 8715946621418 |
| Multiple Order Quantity | 1 Units |
| Country of Origin | China |

LabelWorks LW-Z700FK



Epson Deutschland GmbH
Otto-Hahn-Str. 4
D-40670 Meerbusch
Info-Line: 02159 92 79 500
Telefax: +49 (0) 2159/538-3000
www.epson.de

Epson in Österreich
Info-Line: 01 253 49 78 333
www.epson.at
Epson in der Schweiz
Info-Line: 022 592 7923
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

EPSON®